

**VESPOL PTY LTD**  
ACN 003 699 974  
[www.vespol.com](http://www.vespol.com)

26 Garner Place  
Ingleburn 2565  
NSW Australia

phone +612 9618 3111  
fax +612 9618 3155  
e-mail [sales@vespol.com](mailto:sales@vespol.com)  
mail PO Box 900  
Ingleburn 1890  
NSW Australia

May 2012

# **CONFORM.**

**Page 1.**

## **TECHNICAL INFORMATION.**

### **DESCRIPTION:**

Conform Fibre Expansion Control Joint Filler from Vespol uses a proprietary process that thoroughly mixes wood fibres in an asphaltic binder, then forms the fibres into a rigid board. The result is an economical, environmentally safe compressible material that's stronger yet easier to handle than other joint filler compounds.

### **USES:**

Conform is ideal for use as a filler strip in expansion control joints for most types of concrete construction.

- # Meets or exceeds AASHTO and ASTM specifications – Approved by several state Departments of Transportation.
- # Cuts cleanly, and it is easily held in position during concrete pouring.
- # Will not extrude from joint under compression – recovers substantially to original thickness after release from compression.
- # Resists water infiltration.
- # Withstands freeze / thaw cycles.

### **APPLICATION:**

Conform Fibre Expansion Joint Filler is suitable for use with expansion joints in a wide variety of concrete construction projects. Also ideal for medium to large concrete slab work and other flatwork applications.

- # Roadways.                      # Airport runways.
- # Sidewalks.                      # Warehouse flooring.
- # Driveways.                      # Parking Lots.
- # Patios.                            # Curbs.

Conform can also be positioned against concrete forms, at interrupting objects or columns, and against abutting structures prior to the installation of concrete.

### **SIZE & THICKNESS:**

Lengths – 2.44m

Widths – 60mm, 75mm, 100mm, 125mm, 150mm, 200mm and 900mm.

Thickness – approx 9.5mm

Cut To Size: in 25mm increments over 75mm

(on some cut to size orders, minimum quantity requirements apply).